

Web Images Videos Maps News Shopping Gmail more ▼

Sign in



(separate OR divided) ".NET" (code OR program OR instruction\$2) mutable im

Search

Advanced Search

Preferences

Web Show options... Results 1 - 10 of about **35,200** for (separate OR divided) ".NET" (code OR program OR instruction\$2) mutable immutable 1990..2004. (0.66 seconds)

1. What is **mutable** and **immutable**?

6 posts - 5 authors - Last post: Oct 7, 2008

Developers are modifying strings all the time in their **code**. ... **NET** has the System.

Text.StringBuilder class. ... Source:: [http://blogs.crsw.com/mark/archive](http://blogs.crsw.com/mark/archive/2004/08/06/449.aspx)

[/2004/08/06/449.aspx](http://blogs.crsw.com/mark/archive/2004/08/06/449.aspx). Best Regards Vadivel ... **immutable** means data value may not be changed but **mutable** means data value will be changed. ...

www.dotnetspider.com/.../116552-What-mutable-immutable.aspx - [Cached](#) - [Similar](#)

2. CodeProject: **Immutable** Data Structures in C# and F#. Free source ...

Feb 6, 2009 ... This means that objects used in the **program** cannot be modified once the tuple given as the argument into two **separate** values (1) and we The type is **immutable**, so we also demonstrated how to write **code** ... You can see using reflection we can easily change the value and hence it is **mutable**. ...

www.codeproject.com/KBI/.../functional_programming.aspx - [Cached](#) - [Similar](#)

3. Appropriate Use of **Mutable** Data in Functional Software Systems ...

Jun 15, 2009 ... A functional **program** makes an **immutable** snapshot of the entity at some time. ... This is the synchronization/convergence point between **separate** threads and components. It is the boundary between the functional **code**, which transforms some ... The number of people on earth at midnight on Dec 31, **1999**. ...

benhutchison.wordpress.com/.../appropriate-use-of-mutable-data-in-object-functional-systems/ - [Cached](#) - [Similar](#)

4. **Mutable** strings

10 posts - Last post: Sep 22, 2003

with current **code** that doesn't make a distinction, ... On Saturday 20 Sep **2003** 6:40 pm, Gordon Airport wrote: ... **separate** module, so that you have to *declare* your usage of this Think of it as a symetry with the **mutable** and **immutable** list ...

Bestiaria Home Page: <http://www.beastie.dm.net/> < ...

www.velocityreviews.com/.../t322747-mutable-strings.html - [Cached](#) - [Similar](#)

5. Getting to Know **Immutable** Data Structures - **Immutability** and ...

NET Zone Community for **.NET** developers everywhere ... but the above **code** is straight forward enough to understand easily and ... of implementation choices: Do we lock on the queue, or have **separate** lock? ... Firstly, if don't mind being dirty and **mutable** we can translate this fragment verbatim: ...

dotnet.dzone.com/news/getting-know-immutable-data-st - [Cached](#) - [Similar](#)

6. Scott Hanselman's Computer Zen - Hanselminutes Podcast 145 - SOLID ...

NET MVC's automatic model binding, and in the comments Simone showed how Interface ... At 4-7 lines / function, a 12 step algorithm can be **divided** into 2 ... and Square interfaces into their **mutable** and **immutable** components. ... In general, we need to avoid that the semantics of the **code** is drowned in syntax. ...

www.hanselman.com/.../HanselminutesPodcast145SOLIDPrinciplesWithUncleBobRo... - [Cached](#) - [Similar](#)

7. CiteSeerX — Building a Reliable **Mutable** File System on Peer-to ...

The **immutability** of address-to-content bindings has several advantages in P2P systems. ... Instead, Eliot employs a **separate**, generalized metadata service that isolates all mutation and client ... http://www.the-charles.net/PAPERS/WS1-107_stein_c.ps ... 106, A toolkit for user-level file systems – Mazieres - **2001** ...

citeseer.ist.psu.edu/557574.html - [Similar](#)

by CA Stein - 2002 - [Cited by 9](#) - [Related articles](#) - [All 12 versions](#)

8. Study guide: Java's character and assorted string classes support ...

Oct 4, 2002 ... StringBuffer 's character array (which holds a **mutable** string) has finite length. ... String s = "a"; for (int i = 0; i < **2000**; i++) s = new ... The **code** fragment above creates a StringBuffer and a String (via ... To sum up, understanding whether strings should be **immutable** or **mutable** will lead you ...

www.javaworld.com/javaworld/.../jw-1004-java101guide.html - [Cached](#) - [Similar](#)

9. Building a Reliable **Mutable** File System on Peer - Digital Library

Instead, Eliot employs a **separate**, generalized metadata ... Eliot implements a **mutable** filesystem on an **immutable**. P2P substrate. ablocks reside in a variable latency and dynamic P2P **net**- client will return an error **code** to the application. ... ceedings of the **2001** Usenix Annual Technical Conference, ...

doi.ieeecomputersociety.org/10.1109/RELDIS.2002.1180204 - [Similar](#)

by CA Stein - [Cited by 9](#) - [Related articles](#) - [All 12 versions](#)

10. Inference of Reference **Immutability**


formally express intended properties of their **code**; explicit, The Ref rule is **divided** into two rules depending on the **mutability** of the ... Javarifier constrains each part of a type using a **separate** constraint variable. The result of applying type inference to a **program** containing a **mutable** ...

www.springerlink.com/index/6m5u5m330t81763t.pdf - [Similar](#)
by J Quinonez - [Cited by 6](#) - [Related articles](#) - [All 6 versions](#)

Searches related to: (separate OR divided) ".NET" (code OR program OR instruction\$2) mutable immutable 1990..2004

[mutable immutable c#](#)

[string mutable immutable](#)



(separate OR divided) ".NET" (code OR program OR instruction\$2) mutable im

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) - [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)